

SECTION 1 - PRODUCT AND COMPANY INFORMATION

Product Name: Product Use: Supplier Name and Address:

Telephone: Emergency Telephone: Shampoo SX High Foaming Carpet/Upholstery Cleaner Corpack Canada 16 Seapark Drive, St. Catharines, ON L2M 6S6 : (905) 682-8888 : CANUTEC (613) 996-6666

SECTION 2 - HAZARD IDENTIFICATION

EMERGENCY OVERVIEW

Physical State: GHS Classification: Skin Irritation: Eye Irritation: Acute Toxicity: GHS Label Elements: Hazard Pictograms

Signal Word: Hazard Statements:

Precautionary Statements:

Potential Health Effects: Inhalation

Skin

Eyes Ingestion Aggravated Medical Condition Symptoms of Overexposure Liquid

Category 2 Category 2 Category 2



Danger H302 Harmful if swallowed H316 Causes mild skin irritation H319 Causes serious eye irritation Prevention P102 Keep out of reach of children P262 Do not get in eyes, on skin, or on clothing P284 In case of inadequate ventilation wear respiratory protection Response P302 IF ON SKIN: Flush with plenty of water for at least 15 minutes P305 IF IN EYES: Flush with plenty of water for at least 15 minutes P332+P313 If skin irritation persists, get medical attention : Strongly irritating to the eyes, nose, throat and lungs. High concentration of vapours will cause irritation. Similar effects with misting the product. : Dangerous in case of skin contact. Causes burns. Symptoms may be delayed. : Contact can result in tissue damage. : Harmful or fatal if swallowed. : None known

: See section 11.



SAFETY DATA SHEET Shampoo SX SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS

Chemical Name	CAS-No.	Concentration [%]
Isopropyl Alcohol	67-63-0	5-10*
Olefin Sulfonate	68439-57-6	5-10*
Ethylene Glycol	111-76-2	1-5*
Sodium Lauryl Sulfate	151-21-3	1-5*

* Exact percentages are <u>a trade secret</u>

	SECTION 4 - FIRST-AID MEASURES
General Advice	: Move out of dangerous area
	Consult a physician
	Show this Safety Data Sheet to the doctor in
	attendance
Inhalation	: Move victim to fresh air. Give artificial
	respiration only if breathing has stopped.
	Give cardiopulmonary resuscitation (CPR) if
	there is no breathing and no pulse. Obtain
Skin Contact	medical attention immediately. : Immediately flush with cool water for 15
Skill Contact	minutes while removing contaminated
	clothing and shoes. Discard or wash well
	before reuse. Seek medical attention if
	irritation develops/persists.
Eye Contact	: If a contact lens is present, DO NOT delay
	irrigation or attempt to remove the lens. Get
	medical attention if irritation develops and
	persists. Rinse with water. Immediately flush
	with cool water. Remove contact lenses, if
	applicable, and continue flushing for 15 minutes. Seek medical attention if irritation
	develops.
Ingestion	: Do not induce vomiting. Rinse mouth with
	water then drink one or two glasses of
	water. Seek medical attention, or contact
	poison control centre immediately. Never
	give anything by mouth if victim is
	unconscious, is rapidly losing
	consciousness or is convulsing. If vomiting
	occurs, keep head low so that stomach
	content doesn't get into the lungs. IF

SECTION 5 - FIRE-FIGHTING MEASURES

Suitable extinguishing media Specific hazards arising from the chemical Special protective actions for fire-fighters Additional advice

: Alcohol foam, carbon dioxide, dry chemical

SWALLOWED: immediately call a POISON

: None known

CENTRE or doctor/physician.

- : None
- : None

SECTION 6 - ACCIDENTAL RELEASE MEASURES



Personal precautions Environmental precautions	 Wear appropriate protective equipment. Prevent entry into sewers or streams. Dike if needed. The bacteria and carriers are naturally occurring and should not pose an environmental risk.
Methods and materials for containment/ cleaning up	: Vacuum or sweep up avoiding generation of mist. Place in suitable labeled containers and hold for waste disposal. Wash spill site with water.
Additional advice	: None
SECTION 7 -	HANDLING AND STORAGE
Precautions for safe handling Conditions for safe storage	 : Use of nitrile gloves and eye protection is optional. : Keep out of reach of children. Do not freeze. Store in a closed container away from incompatible materials as provided in Section 10.
Other data	: Do not freeze.
SECTION 8 - EXPOSURE	E CONTROLS/ PERSONAL PROTECTION
Control parameters Engineering Controls	 Not available Normal building ventilation is adequate. Ensure that eyewash stations and safety showers are close to the workstation location
Personal Protective Equipment	
Eye/face protection	: Safety glasses with side shields when there is potential for eye contact. Face shield also recommended for handling
Hand protection Skin protection	large amounts. Contact lenses should not be worn : Nitrile or rubber gloves are recommended : Protective coveralls or thick clothing that covers exposed
Respiratory protection	skin : Wear a NIOSH/MSHA approved air-purifying respirator equipped with chlorine cartridges when vapours reach high levels
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice When using do not eat or drink When using do not smoke Wash hands before breaks and at the end of the workday

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES



Solubility in other solvents: Partition coefficient: n-octanol/water: Auto-ignition temperature: **Decomposition temperature:** Viscosity:

- : Not available
- : Not available
- : Not available
- : Not available
- : As water

SECTION 10 - STABILITY AND REACTIVITY

Reactivity **Chemical Stability** Possibility of hazardous reactions Conditions to avoid Incompatible materials Hazardous decomposition products

- : Product is stable
- : Stable under normal conditions
- : Hazardous decomposition products are not known
- : Avoid contact with oxidizing chemicals.
- : Strong oxidizing agents
- : Not available

SECTION 11 - TOXICOLOGICAL INFORMATION

Product Information	
Acute toxicity	: Not available
Skin Corrosion/ Irritation	: Not available
Serious eye damage/irritation	: Not available
Respiratory or skin sensitization	: Not available
Germ cell mutagenicity	: Not available
Carcinogenicity	: Not available
Reproductive toxicity	: Not Available
STOT-single exposure	: Not available
STOT-repeated exposure	: Not available
Aspiration hazard	: Not available
Toxicology Data for Ingredients	
Isopropyl Alcohol	
Acute toxicity	: LD50 oral, rat: 5045 mg/kg
	Remarks: Altered sleep time (including change in righting
	reflex). Behavioral: Somnolence (general depressed
	activity).
	LC50 inhalation, rat: 16000 ppm, 8 hours
	LD50 dermal, rabbit: 12800 mg/kg
Skin irritation	: Rabbit, mild skin irritation
Eye irritation	: Rabbit: eye irritation, 24 hours
Sensitization	: Not available
Specific target organ toxicity-single exposure	: Inhalation, oral - May cause drowsiness or dizziness
Specific target organ toxicity - repeated exposure	: No data available
Olefin Sulfonate	
Acute toxicity	: LD50 rabbit, dermal: >2000 mg/kg
	LD50 rat, oral: 1300-2400 mg/kg
	LC50 Not available
Eye irritation	: Irritating to eyes
Skin irritation	: Irritating to skin. May cause redness and pain.
Sensitization	: Symptoms may include stinging, tearing, redness,
	swelling, and blurred vision.
Ethylene Glycol	
Acute toxicity	: LD50 oral, rat: 470 mg/kg
	LC50 inhalation, rat: 450 ppm, 4 hours
	Remarks: ataxia. Nutritional and Gross Metabolic: Weight
	loss or decreased weight gain.
	LD50 dermal, rabbit: 220 mg/kg
	LD50 intraperitoneal, rat: 220 mg/kg



LD50 intravenous, rat: 307 mg/kg Skin irritation : Rabbit: open irritation test Eye irritation : Rabbit: moderate eye irritation, 24 hours Sensitization : Not available Specific target organ toxicity - single exposure : No data available Specific target organ toxicity - repeated exposure : No data available : Human exposure about 200 ppm can be expected to Other cause narcosis, damage to the kidney and liver and present an abnormal blood picture showing erythropenia, reticulocytosis, granulocytosis, leukocytosis, and would be likely to cause fragility of erythrocytes and hematuria. Swallowing of the tongue which indicates paralysis of the sensory nerve endings, central nervous system depression, headache, narcosis. Sodium Lauryl Sulfate Acute toxicity : LD50 oral, rat: 1288 mg/kg LC50 dust, inhalation, rat: >3900 mg/m : Irritant, and sensitizer. Causes mild to moderate skin Skin irritation irritation. May cause allergic reaction (dermatitis). Prolonged or repeated skin contact may cause allergic dermatitis. Eye irritation : Causes moderate eye irritation. : Inhalation: Material is irritating to mucous membranes and Sensitization upper respiratory tract. May cause allergic respiratory reaction. Ingestion: Causes gastrointestinal tract irritation

with nausea, vomiting, hypermotility, diarrhea, and bloating. May also affect behaviour (ataxia, somnolence), and cardiovascular system. Ingestion: prolonged or repeated ingestion may affect the liver. Inhalation: prolonged or repeated inhalation may cause allergic respiratory reaction (asthma)

SECTION 12 - ECOLOGICAL INFORMATION

Product Information:

Toxicity: Persistence and degradability: Bioaccumulative potential: Mobility in soil: Other adverse effects: **Toxicology Data for Ingredients: Isopropyl Alcohol** Toxicity:

Persistence and degradability: Bioaccumulative potential: Mobility in soil: Other adverse effects: **Olefin Sulfonate** Toxicity:

- : Not available
- : LC50 fathead minnow: 9640 mg/L, 96 hours EC50 water flea: 5102 mg/L, 24 hours EC50 immobilization, water flea: 6851 mg/L, 24 hours EC50 green algae: >2000 mg/L 72 hours
 - EC50 algae: >1000 mg/L, 24 hours
 - : Not available
 - : No bioaccumulation is to be expected (log Pow <=4)
- : Not available
- : Not available

: EC50 Algae: 42.3 mg/L, 72 hours EC50 Daphnia: 4.48 mg/L, 48 hours LC50 fish: 2.6 mg/L, 96 hours EC50 water flea: 4.14-4.95 mg/L, not reported 48 hours



	ETY DATA SHEET Page 6 of 7
5	hampoo SX
Persistence and degradability:	: Readily biodegradable
Bioaccumulative potential:	: Toxic to aquatic life. Harmful to aquatic life with long
	lasting effects.
Mobility in soil:	: Not available
Other adverse effects:	: Not available
Ehtylene Glycol	1 CEO other fish, 220 mg/L. OG hours
Toxicity:	: LC50 other fish: 220 mg/L, 96 hours EC50 water flea: 1815 mg/L, 24 hours
	LC50 Not available
Persistence and degradability:	: Not available
Bioaccumulative potential:	: Not available
Mobility in soil:	: Not available
Other adverse effects:	: Not available
Sodium Lauryl Sulfate	
Toxicity:	: LC50 Not available
·	LC50 Not available
Persistence and degradability:	: Possibly hazardous short term degradation products are
	not likely. However, long term degradation products may
	arise. The products of degradation are less toxic than the
	product itself.
Bioaccumulative potential:	: Not available
Mobility in soil:	: Not available
Other adverse effects:	: Not available
SECTION 13	- DISPOSAL CONSIDERATIONS
Product	: Sanitary sewer or dry absorbent if available.
	For large quantities, contact local environmental
	department or government authorities
	Do not dispose in drains, waterways, or soil
	Do not contaminate ponds, or ditches with chemical or the
	used container
SECTION 14	- TRANSPORT INFORMATION
UN Number	: Not available
UN Proper Shipping Name	: Not available
Transport hazard class(es)	: Not available
Packing group, if applicable	: Not available
Environmental hazards	: Not available
Special precautions for user	: Not Available
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	. Not appliable
MARFOL 13/16 and the IBC Code	: Not applicable
SECTION 15	- REGULATORY INFORMATION
WHMIS Status	: Not known
WHMIS classification	: Class E
SECTION	16 - OTHER INFORMATION



SAFETY DATA SHEET

Page 7 of 7

Shampoo SX NOTICE: The data and information presented herein are based upon tests, research and reports which are considered by us to be reliable and believed to be accurate. The data and information are presented without warranty, guarantee or liability on our part, and are presented to the customer for his own consideration, investigation and verification. If user requires independent information on ingredients in this or any other material, we recommend contact with Canadian Centre for Occupational Health and Safety (CCOHS) in Hamilton, Ontario (905 572-4400)